




Philips lamps for Phototherapy treatment

PHILIPS
sense and simplicity

Contents

Introduction	page 3
Philips UVB Narrowband (/01) Phototherapy lamps	page 5
Philips UVB Broadband (/12) Phototherapy lamps	page 6
Philips UVA (/09) and UVA-I (/10) Phototherapy lamps	page 7
Philips Jaundice (/52) Phototherapy lamps	page 9
Safety measures, burning-in time and operating conditions	page 10
Product dimensions	page 11
Contact details	page 12



Proven technology for Phototherapy

Clinical studies around the world have proven that Philips UV lamps are the most effective lamps currently available for the treatment of Psoriasis and Vitiligo, as well as other less common skin diseases. As the world's largest manufacturer of lighting products, Philips has applied its knowledge and experience to design a comprehensive range of highly effective Phototherapy lamps. These have been developed, tested and proven in close cooperation with universities and clinics around the world. Don't settle for poor imitations that could be harmful to patients. Insist on Philips Phototherapy lamps that are certified to be the most effective on skin.



CERTIFIED
the most
effective on skin

Philips UVB Narrowband (/01) Phototherapy lamps


The UVB Narrowband (/01) low-pressure fluorescent Phototherapy lamps are proven to be the most effective lamps for the treatment of skin diseases compared with other lamps in their class. Not only did we introduce the very first UVB lamps, we've also continued to develop and improve them for the last 20 years. Our application laboratory carries out research in close cooperation with universities all over the world. More than 400 independent clinical studies* have proven that Philips UVB Narrowband Phototherapy lamps are the most effective lamps currently available for the treatment of Psoriasis, Vitiligo and other skin diseases.

*reference available at www.philips.com/phototherapy

Based on this unmatched combination of experience and knowledge, Philips Lighting can offer the best advice to equipment manufacturers.

Can be used for the treatment of:

- Psoriasis
- Parapsoriasis
- Vitiligo
- Atopic Dermatitis
- Mycosis fungoides
- Other skin diseases



Philips TL with RDC cap
(R17d)



Philips TL with bi-pin cap
(G13)



Philips PL-S 9W
(2G11)

Features	Benefits
Emission peak at 311 nm	Minimum side effects like redness, itching and burns
Narrowband	Shorter period of exposure and less erythral radiation than conventional UVB lamps
Worldwide tested in more than 400 clinical tests	Proven to be the most effective lamps in their class

Philips UVB Narrowband (/01) Phototherapy lamps

Lamp type	Product code	Output UVB (W)	Lamp Voltage	Lamp Current	Cap/ base	Packaging Configuration MOQ	Order code (Europe) 8711500...	Order code (USA)
Philips UVB Narrowband PL-S 9W/01	9279 017 001 21	1.2	60	0.17	G23	6x10 Box	86891680	392027
Philips UVB Narrowband PL-L 36W/01	9279 034 001 21	6.2	106	0.43	2G11	25	86889340	195239
Philips UVB Narrowband TL 20W/01	9280 100 001 01	2.3	57	0.37	G13	25	63974540	381723
Philips UVB Narrowband TL 40W/01	9280 113 001 01	4.6	104	0.43	G13	25	26474940	158089
Philips UVB Narrowband TL 100W/01	9280 349 001 29	17.7	126	0.97	R17d	10	61425425	312769
Philips UVB Narrowband TL F72 100W/01	9279 785 001 29	17.7	126	0.97	R17d	25	26327840	131706
Philips UVB Narrowband TL F79 120W/01	9280 352 001 01	19.7	123	1.11	G13	25	26483140	NA

Philips UVB Broadband (/12) Phototherapy lamps

Philips (/12) low-pressure fluorescent lamps are Broadband UVB lamps (290–320 nm) commonly used to treat many skin conditions and other inflammatory skin disorders. Phototherapy treatment with Broadband UVB may be administered with or without medications.

Can be used for the treatment of:

- Psoriasis
- Parapsoriasis
- Vitiligo
- Atopic Dermatitis
- Other skin diseases




Philips TL with RDC cap
(R17d)



Philips TL with bi-pin cap
(G13)



Philips PL-S 9W
(2G11)



Philips UVB Broadband (/12) Phototherapy lamps

Lamp type	Product code	Output UVB (W)	Lamp Voltage	Lamp Current	Cap/ base	Packaging Configuration MOQ	Order code (Europe) 8711500...	Order code (USA)
Philips UVB Broadband PL-S 9W/12	9279 017 012 07	1.2	60	0.17	G23	6x10 Box	62625780	392035
Philips UVB Broadband TL 20W/12	9280 100 012 01	2.1	57	0.37	G13	25	62883140	218024
Philips UVB Broadband TL 40W/12	9280 113 012 01	4.7	104	0.43	G13	25	62886240	218040
Philips UVB Broadband TL 100W/12	9280 349 012 29	12.7	126	0.97	R17d	25	61428525	262675
Philips UVB Broadband TL F72 100W/12	9279 785 012 29	12.7	126	0.97	R17d	25	26670540	215541

Philips UVA (/09) and UVA-I (/10) Phototherapy lamps

Philips UVA (/09) lamps emit radiation over the whole UVA part of the spectrum (315-400 nm). Philips UVA-I (/10) lamps emit radiation in a limited part of the UVA range. In PUVA-therapy these lamps are used in combination with Photosensitizers (for example Psoralenes) for the treatment of Psoriasis. Treatment with PUVA remains the standard for patients with high PASI scores who do not respond or whose psoriasis cannot be controlled adequately by UVB.

Can be used for the treatment of:

- Psoriasis and Parapsoriasis
- Vitiligo
- Atopic Dermatitis
- Mycosis fungoides



Philips TL with RDC cap (R17d)




Philips TL with bi-pin cap (G13)




Philips PL-L 36W (2G11)

graph 1



graph 2



Philips UVA (/09) Phototherapy lamps (graph 1)

Lamp type	Product code	Output UVB (W)	Lamp Voltage	Lamp Current	Cap/ base	Packaging Configuration MOQ	Order code (Europe) 8711500...	Order code (USA)
Philips PL-L UVA 36W	9279 034 009 07	8.0	106	0.43	2G11	25	61410040	274175
Philips TL-K UVA 40W	9280 031 209 12	8.6	50	0.86	G13	25	62830540	NA
Philips TL UVA 100W	9280 043 209 07	30.7	126	0.97	G13	25	26877840	NA
Philips TL UVA 100W-R	9280 057 209 12	28.3	126	0.97	G13	25	62838140	NA
Philips TL UVA 120W	9280 042 209 07	33.3	123	1.11	G13	25	26883940	NA

Philips UVA-I (/10) Phototherapy lamps (graph 2)

Lamp type	Product code	Output UVB (W)	Lamp Voltage	Lamp Current	Cap/ base	Packaging Configuration MOQ	Order code (Europe) 8711500...	Order code (USA)
Philips TL-K UVA-I 40W	9280 041 010 12	7.8	50	0.86	G13	25	61223640	NA
Philips TL UVA-I 100W-R	9280 069 010 12	27.3	126	0.97	G13	25	61281640	NA



Philips Jaundice (/52) Phototherapy lamps

Philips Jaundice (/52) low-pressure fluorescent lamps emit light in the blue part of the visible spectrum. Jaundice (/52) lamps are used in incubators to eliminate bilirubin in the blood of newborn babies.

Can be used for the treatment of:


- Hyperbilirubineamia (Neonatal Jaundice)
- Crigler - Najjar (CN) syndrome



Philips TL with bi-pin cap
(G13)



Philips PL-L 18W/52/4P
(2G11)



Philips Jaundice (/52) Phototherapy lamps

Lamp type	Product code	In Flux Output (LM)	Lamp Voltage	Lamp Current	Cap/ base	Packaging Configuration MOQ	Order code (Europe) 8711500...	Order code (USA)
Philips PL-L 18W/52	9279 041 052 06	330	57	0.37	2G11	25	80517800	NA
Philips TL 20W/52	9280 035 052 03	330	57	0.37	G13	25	64302540	161190
Philips TL-D 18W/52	9280 480 052 11	395	59	0.36	G13	25	83485700	NA



Safety measures

As with natural sunlight, UV-therapy increases the risk of skin cancer, can cause erythema (sunburn), conjunctivitis (snow blindness) and cataract of the eye.


Chronic blue light exposure can damage the retina. Patients should always wear appropriate eye-wear. Therapy equipment must be screened off to ensure safe operation by service personnel.* Equipment must be provided with a timer in order to control the dose.

Philips UVB therapy lamps (/01 and /12) are only supplied to qualified customers. The lamps should only be used for medical purposes under doctor supervision.

* For safe levels, see standard IEC 62471 Photobiological Safety of Lamps and Lamps Systems

Operating conditions

In order to obtain the highest possible output, the equipment should be designed to keep the lamp at the optimal temperature.



Burning-in time

We advise a burning-in time for new UVB Narrowband (/01) lamps of at least one hour to avoid the initial high output value.


Product dimensions

Dimensions in mm

Type	A max	B min	C max	D' min	D max
Philips UV PL-S 9W	28.8	144.5	167.0	28.0	13.0



Philips PL-S 9W




Philips PL-S 9W / 12 G23

Type	A max	B max	C max	D' min	D max
Philips UV PL-L 36W	384.2	410.0	416.6	39.0	18.0



Philips PL-L 36W




Philips PL-L 36W

Type	A max	B max	C max	D' min	D max
Philips UV PL-L 18W/52 4P	188.2	214.0	220.6	39.0	18.0



Philips PL-L 18W/52/4P



Philips 18W/52/4P

Type	A max	B min	B max	C max	D max
UVB Narrowband (/01) Phototherapy lamps					
Philips TL 20W/01	589.8	594.5	596.9	604	40.5
Philips TL 40W/01	1199.4	1204.1	1206.5	1213.6	40.5
Philips TL 100W/01-F7I RDC	1763.8	1768.5	1770.9	1778	40.5
Philips TL 100W/01-F72 RDC	1755.7	1760.4	1762.8	1774.1	40.5
Philips TL 120W/01	2000	2004.7	2007.1	2014.2	40.5




Philips TL with RDC cap
(R17d)



Philips TL with bi-pin cap
(G13)


UVB Broadband (/12) Phototherapy lamps					
Philips TL 20W/12	589.8	594.5	596.9	604	40.5
Philips TL 40W/12	1199.4	1204.1	1206.5	1213.6	40.5
Philips TL 100W/12-F7I RDC	1763.8	1768.5	1770.9	1778	40.5
Philips TL 100W/12-F72 RDC	1755.7	1760.4	1762.8	1774.1	40.5

Jaundice (/52) Phototherapy lamps					
Philips TL 20W/52	589.8	594.5	596.9	604	40.5
Philips TLD 18W/52	589.8	594.5	596.9	604	28



Dimensions with RDC cap (R17d)

UVA (/09) Phototherapy lamps					
Philips TL 40W/09	1199.4	1204.1	1206.5	1213.6	40.5
Philips TL 100W/09	1763.8	1768.5	1770.9	1778	40.5
Philips TL 100W/09-R	1763.8	1768.5	1770.9	1778	40.5



Dimensions with bi-pin cap (G13)

UVA-I (/10) Phototherapy lamps					
Philips TLK 40W/10 R	589.8	594.5	596.9	604	40.5
Philips TL 100W/10 R	1763.8	1768.5	1770.9	1778	40.5

Note: For (/09) and (/10), Philips also has other lamp wattages commercially available and can be provided on request for manufacturers or for trial purposes.

Business Line UV Health & Wellness

Roosendaal
Zwaanhoefstraat 2
4702 LC Roosendaal
The Netherlands
Tel +31 165 57 7169
Fax +31 165 57 7907

www.philips.com/phototherapy

Benelux

Boschdijk 525, bldg.VB-6
5600 PD Eindhoven
The Netherlands
Tel +31 6 130 44 765
Fax +31 40 27 82273

France

Rue Pierre Rigaud
Val de Marne
94856 France
Tel +33 1 49 87 64 57
Fax +33 1 49 87 64 619

Germany

Lübeckertordamm 5
D-20099 Hamburg
Tel +49 40 2899 2788
Fax +49 40 2899 2205

Hungary

Fehervari ut 84/A
H-1119 Budapest
Tel +36 1 3821 856
Fax +36 1 3821 851

Italy

Via G. Casati 23
20052 Monza (MI)
Tel +39 039 203 6085
Fax +39 039 203 6127

Poland

UL. Kossaka 150
64-920 Pila
Tel +48 67 351 32 62
Fax +48 67 351 31 04

Russia

Usacheva str 35 A
119048 Moscow
Tel +7 495 937 9350
Fax +7 495 937 9359

Spain / Portugal

Philips Iberica S.A.
Division Comercial Alumbrado
Calle Martinez Villergas 49, planta 8
28027 Madrid
Tel + 34 91 566 97 64
Fax + 34 91 566 92 42

Sweden/Norway

Knarrarnasgatan 7
Kista
S-16485 Stockholm
Tel +46 8 5985 2000
Fax +46 8 5985 2797

Turkey

Yukarı Dudullu Organize Sanayi Bolgesi
2. Cadde No: 22
34776 Umraniye
Istanbul
Tel +90 216 522 1844
Fax +90 216 522 1835

United Kingdom

Philips Centre
Guilford Business Park
Guilford, Surrey GU2 8XH
Tel +44 1483 293 156
Fax +44 1883 334 790

Ukraine

Philips Ukraine LLC
4, Mykoly Grinchenka Sr.
Horizon Park Business Center,
Building N2, floor 4
03038 Kyiv Ukraine
Tel +380 44 490 98 68
Fax +380 44 490 98 56

Argentina

Vedia 3892
(C1430DAL) Buenos Aires
Tel +54 11 4546 7651
Fax +54 11 4546 7672

Australia

Philips House, 65 Epping Road
North Ryde NSW, 2113
Tel +61 2 9947 0333
Fax +61 2 9947 0325

Brazil

Philips Lighting Latin America
Rua Verbo Divino 1400, 6 Andar
Chacara Santo Antonio
04719-002 Sao Paulo
Tel +55 11 2125 0746
Fax +55 11 2125 0580

U.S.A.

200 Franklin Square Drive
Somerset N.J. 08875 6800
Tel +1 848 459 8629
Fax +1 847 885 7376

Canada

281 Hillmount Road
Markham
Ontario L6C 2S3
Tel +1 905 438 0817
Fax +1 416 915 6183

Asia Pacific

Level 6, Three Pacific Place,
1 Queens Road East,
Wanchai,
Hong Kong
Tel +86 21 5910 7475
Fax +86 21 5915 4024

Shanghai, China

1805 Hu Yi Road, MaLu Town, Jiading District
Shanghai, China 201801
Tel: +86 21 5910 7047
Fax: +86 21 5915 4024

India

Philips Electronics India Ltd
9th Floor, Ashoka Estate
24, Barakhamba Road
New Delhi 110 001
India
Tel +91 11 43529800
Fax +91 11 41515221

Japan-domestic

Philips Electronics Japan, Ltd.
13-37, Kohnan 2-chome
Minato-ku
Tokyo 108-8507
Tel +81 3 3740 4429
Fax +81 3 3740 5163

Korea

Philips House
P.O. Box 3680
260-199, Itaewon-Dong
Yongsan-Ku
Seoul 140-200
Tel +82 2 709 1345
Fax +82 2 709 1329

Mexico

Norte 45 # 669 Col. Industrial Vallejo
Distrito Federal
México City
Tel +52 55 52699137
Fax +52 55 52699101

Taiwan

14F, No.3-1, Yuan Qu Street
Nan Gang District,
Taipei 115, Taiwan, R.O.C.
Tel +886 2 3789 2279
Fax +886 2 3789 2525



©2009 Koninklijke Philips Electronics N.V.

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Date of release: April 2009 / BASE - 3222 635 59731
Printed in the Netherlands